


SPECIFICATIONS				
CONTACT CARRIER MATERIAL	TPU			
MOLDED HEAD MATERIAL/COLOR	TPU/YELLOW			
CONTACT MATERIAL/PLATING	BRASS/GOLD			
COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL			
RATED CURRENT [A]	9.0 A			
RATED VOLTAGE [V]	600 V			
OUTER JACKET MATERIAL/COLOR	PVC/YELLOW			
CONDUCTOR INSULATION MATERIAL	PVC			
NUMBER OF CONDUCTORS [AWG]	3x18 AWG			
TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)			
PROTECTION CLASS	NEMA 1,3,4,6P,12 & IECIP67, IP68,IP69,IP69K			



CABLE LENGTH	TOLERANCE *			
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER			
STRIP LENGTH	TOLERANCE *			
0-7mm	±0.5mm			
8-29mm	±1.0mm			
30-49mm	±2.0mm			
50-69mm	±3.0mm			
70-100mm	±4.0mm			
OVER 100mm	±5.0mm			
* UNLESS OTHERWISE SPECIFIED				

CBM 04/13/21

76628

ECO NO.

NOTES:

REV DESCRIPTION

F UPDATE PROTECTION CLASS

1. "*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

RELATED DOCUMENTS	3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE			3000 (MINNEAP	CAMPUS OLIS, MN	
2.	_	PROPERTY OF TURCK INC. USE OF THIS			1-80	0-544-1) 553-7	
3.	$\Theta $	DOCUMENT WITHOUT WRITTEN PERMISSION IS					708 fax
4.	,	PROHIBITED.			ww	w.turck.u	ıs
MATERIAL		DRFT RDS	DATE 01/04/06	DESCRIPTION	DCM 70 *M		
SEE SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS	APVD	SCALE 1=1.0		RSM 30-*M		
	DRAWING ARE FOR REFERENCE ONLY	UNIT OF ME	EASUREMENT				
FINISH	THE ENERGE ONE			IDENTIFICATION NO.			REV
	CONTACT TURCK FOR MORE		ER [INCH]				F
SEE SPECIFICATIONS	INFORMATION						'
		DO NOT SCALE THIS DRAWING		FILE: 777003127		SHEET	1 OF 1

		SOURCE DRAWING - FOR REFERENCE ONLY
TED DOCUMENTS	3PD ANGLE	